



TECHNICAL PRODUCT DATASHEET





UPDATED: 20/02/2023

DG2-Vinyl Powdered

Disposable Powdered Clear Vinyl Gloves

A single use clear vinyl disposable for a wide range of applications where dexterity is required. Ambidextrous design with a rolled cuff for extra strength. Lightly powdered to aid donning and absorb moisture. Contains no Latex. Suitable for use with some foods (not suitable for fatty foods).

For protection against:

Mechanical action whose effects are minimal and easily reversible

Handling hot components not exposing the wearer to temperatures above 50 C

Atmospheric agents of neither exceptional nor extreme nature

Minor impacts and vibrations which do not effect affect vital areas of the body and where the effects cannot cause itterverisble lesions



FEATURES AND TECHNOLOGY







WATER REPELLENT









PROTECTION





FOOD PROCESSING

TECHNICAL INFORMATION

ORDER REF #	G/DG2VC
COATING MATERIAL	N/A
PACKING	PER PACK: 1 x Box of 100
	PER CASE: 10 x Box of 100
SIZES AVAILABLE	S,M,L,XL
EU TYPE CERTIFICATION BY	N/A

TECHNICAL DETAILS

Poly-Vinyl Chloride Resin Material: ASTM D5250, 10mg/dm² 7 mpa (min) Powder: Tensile Strength: **Elongation:** 300% (min) Force at Break: 3.0 N (min)

MINIMAL RISKS (E i









🕕 **Fax:** +44 (0)1902 451 271

Email: sales@ultimateindustrial.co.uk

Web: www.ultimateindustrial.co.uk



Registered in England No. 2035621





TECHNICAL PRODUCT DATASHEET







UPDATED: 20/02/2023

CERTIFICATION LEGENDS





^{*} For dulling during cut resistance test (6.2), the coupe test results are only indicative while the TDM cut resistance test (6.3) is the reference performance result.





* For details regarding maximum permissable user exposure, see seperate sheet.

FURTHER INFORMATION

STORAGE / TRANSPORT: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging. During transportation, ensure the product is well packaged and protected in order to prevent any damage.


PRECAUTIONS BEFORE USE: 1. Gloves should not be used when there is a risk of entanglement with moving machine parts. 2. Before usage and periodically during usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 3. The gloves should not come in contact with a naked flame or fire. 4. Do not subject to high speed or serrated blades. 5. Always read enclosed user instructions before using these gloves. 6. When used, protective gloves may provide less resistance to the dangerous chemicals due to changes in physical properties. 7. Movements, snagging, rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly. For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves.

CONSTITUENTS / ALLERGIES: Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit; https://www.ultimateindustrial.co.uk/hand-and-arm/chemical-protection/dg2vc

If appropriate to the product, EC/EU Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the above web address(s) or by contacting UCi customer services quoting the product reference code. This document and any other statement provided herein by or on behalf of UCi are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. UCi assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose. The manufacturer reserves the right to make any modifications it deems necessary. All product and company names are trademarksTM or registeredTM trademarks of their respective holders. © UCI Limited, 2023













Registered in England No. 2035621

¹ Testing carried out on the palm material. Except in cases where the glove is equal to or over 400mm - where the cuff is tested also tested. ² 'X' denotes Not Tested.³ Where applicable, EN388:2016 scores take precedent and are ongoing. There is no correlation between coupe test levels and ISO 13997 / TDM cut test levels. Where both EN388:2016 and EN388:2003 scores are shown, the latter is shown for informational purposes only.