





TECHNICAL DATASHEET

TSW12

HIVIS SWEATSHIRT

CLASS 3 TWO BAND AND BRACE SWEATSHIRT

A premium quality 300gsm jersey sweatshirt constructed from an Anti-Pilling 65% Polyester and 35% cotton knitted material. Fleeced inside for warmth and comfort.

Two band and brace Reflexr™ tape mean this garment achieves EN ISO 20471 Class 3. Elasticated rib hem and cuffs with a knitted rib round neck. Ample room for printing and logos.

Tested to 25 wash cycles.





TECHNICAL INFORMATION

ORDER REF. #	TSW12	
COLOURS AVAILABLE:	YELLOW, ORANGE (GO/RT)	
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL	
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.	
MATERIAL:	300GSM 65/35 POLYCOTTON	
PER CASE:	12 PIECES (INDIVIDUAL POLYBAG)	
PER PACK: M	1 PIECE PER POLYBAG	

TECHNICAL INFORMATION:

EN ISO 20471:2013











CERTIFICATION:

This product has been certified by: SATRA SATRA Technology Centre Wyndham Way Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 $\,$ - Class 3





REFLEXR™ INDIVIDUAL HI VIS TAPE POLYBAG



FOR PRINTING





TD-TSW12.01/18 REV2

>>> enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk









TSW12G

HIVIS SWEATSHIRT

CLASS 3 TWO BAND AND BRACE SWEATSHIRT

A premium quality 300gsm jersey sweatshirt constructed from an Anti-Pilling 65% Polyester and 35% cotton knitted material. Fleeced inside for warmth and comfort.

Two band and brace Reflexr™ tape mean this garment achieves EN ISO 20471 Class 3. Elasticated rib hem and cuffs with a knitted rib round neck. Ample room for printing and logos.

Tested to RIS-3279-TOM: Issue 1 and tested to 25 wash cycles.





TECHNICAL INFORMATION

ORDER REF. #	TSW12G	
COLOURS AVAILABLE:	ORANGE (GO/RT), YELLOW	
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL	
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.	
MATERIAL:	300GSM 65/35 POLYCOTTON	
PER CASE:	12 PIECES (INDIVIDUAL POLYBAG)	
PER PACK: [M]	1 PIECE PER POLYBAG	

TECHNICAL INFORMATION:

EN ISO 20471:2013 +A1:2016



GO/RT 3279 Issue 8 RIS-3279-TOM:ISSUE 1











CERTIFICATION:

This product has been certified by: SATRA SATRA Technology Centre Wyndham Way Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - CLASS 3 - RIS-3279-TOM: ISSUE 1





HI VIS TAPE

INDIVIDUAL

POLYBAG



FOR PRINTING

RIS-3279-TOM

CERTIFIED



PROTECTION



REFLECTIVITY

TD-TSW12G.01/18 REV2

enhanced **performance**



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk










TECHNICAL DATASHEET

FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.



B	INCHES	CM	6	D
			CM	CM
S	30 - 32	76 - 80	CIVI	CIVI
М	33 - 34	84 - 88	REG 164-176	79
L	36 - 38	92 - 96	104-176	
XL	40 - 41	100 - 104	TALL	84
XXL	42 - 44	108 - 112	176-188	
3XL	46 - 47	116 - 120	XTALL	02
4XL	48 - 50	124 - 128	188-202	92

STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

WASH CARE:



CERTIFICATION LEGENDS:

EN ISO 20471:2013



Meets: GO/RT 3279 Issue 8, RIS-3279-TOM: Issue 1 Railway Group Standard RIS-3279-TOM defines the minimum requirements for high-visibility clothing for being conspicuous on the line-side or

MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCi customer services.

This document and any other statement provided herein by or on behalf of Traega / UCi are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCi assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

TD-TSW12G.01/18 REV2

>>> enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

