

TTR07 HIVIS 300D OVERTROUSERS

CLASS 1 PREMIUM OVER TROUSERS

A premium 300D Oxford over trouser with a polyurethane coating and taped seams to ensure weatherproofing. Conforms to EN 20471 Class 1. Full elasticated waist allows for a comfortable fit and ample room to wear over trousers with ease. Pocket access hip slots and studded adjustable ankle hems. Stain resistant finish.



with
REFLEXR[™]
High Performance Tape

TECHNICAL INFORMATION

ORDER REF. #	TTR07
COLOURS AVAILABLE:	YELLOW
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.
MATERIAL:	100% POLYESTER OXFORD WEAVE
PER CASE:	24 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013
+A1:2016



EN343:2003
+A1:2007



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class 1. EN343:2003 +A1:2007 - 3:1



WATERPROOF
OUTER



STUDED HEM
ADJUSTMENT



REFLEXR[™]
HI VIS TAPE



INDIVIDUAL
POLYBAG



CLASS 1
REFLECTIVITY



WINDPROOF

TD-TTR07.01/18 REV2

enhanced performance



Phone: +44 (0)1902 451 451
Email: sales@ultimateindustrial.co.uk
Web: traega.co.uk | ultimateindustrial.co.uk

TTR07G HIVIS 300D OVERTROUSERS

CLASS 1 PREMIUM OVER TROUSERS

A premium 300D Oxford over trouser with a polyurethane coating and taped seams to ensure weatherproofing. Conforms to EN 20471 Class I. Full elasticated waist allows for a comfortable fit and ample room to wear over trousers with ease. Pocket access hip slots and studded adjustable ankle hems. Stain resistant finish.




with **REFLEXR**™
High Performance Tape

TECHNICAL INFORMATION

ORDER REF. #	TTR07G
COLOURS AVAILABLE:	ORANGE (GO/RT), yellow
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.
MATERIAL:	100% POLYESTER OXFORD WEAVE
PER CASE:	24 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013 +A1:2016	GO/RT 3279 Issue 8 RIS-3279-TOM:ISSUE 1	EN343:2003 +A1:2007
 1		 3 1



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class 3. EN343:2003 +A1:2007 - 3:1, RIS-3279-TOM: ISSUE 1 (ORANGE COLOUR ONLY)



TD-TTR07G.01/18 REV2

enhanced performance



Phone: +44 (0)1902 451 451
Email: sales@ultimateindustrial.co.uk
Web: traega.co.uk | ultimateindustrial.co.uk

FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.

»»» enhanced performance				
A	INCHES	CM	EURO	C 152 - 202 cm
S	36 - 38	92 - 96	46 - 48	
M	40 - 41	100 - 104	50 - 52	
L	42 - 44	108 - 112	54 - 56	
XL	46 - 48	116 - 124	58 - 62	
XXL	50 - 52	128 - 132	64 - 66	
3XL	54 - 55	136 - 140	68 - 70	
4XL	56 - 58	144 - 148	72 - 74	
5XL	60 - 64	152 - 160	76 - 80	

B	INCHES	CM	C	D
			CM	CM
S	30 - 32	76 - 80	REG 164-176	79
M	33 - 34	84 - 88		
L	36 - 38	92 - 96	TALL 176-188	84
XL	40 - 41	100 - 104		
XXL	42 - 44	108 - 112	X TALL 188-202	92
3XL	46 - 47	116 - 120		
4XL	48 - 50	124 - 128		

STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

WASH CARE:



MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

CERTIFICATION LEGENDS:

EN ISO 20471:2013

 Class according to visible materials minimum area (Max 3)

Meets: GO/RT 3279 Issue 8

 Railway Group Standard GO/RT 3279:2012 defines the minimum requirements for high-visibility clothing for being conspicuous on the line-side or on or near the line.

EN343:2003 +A1:2007

 Water vapour resistance class 1 to 3 (3 is best). Class 1 garments must also be marked "Restricted wearing time"
 Resistance to water penetration class 1 to 3 (3 is best)

If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCI customer services.

This document and any other statement provided herein by or on behalf of Traega / UCI are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCI assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

TD-TTR07G.01/18 REV2

»»» enhanced performance



Phone: +44 (0)1902 451 451
 Email: sales@ultimateindustrial.co.uk
 Web: traega.co.uk | ultimateindustrial.co.uk