

|                    |                         |
|--------------------|-------------------------|
| <b>Universe</b>    | Professional            |
| <b>Type</b>        | Lighting                |
| <b>Category</b>    | Ultra-compact headlamps |
| <b>Subcategory</b> | Ultra-compact headlamps |



## SWIFT RL PRO

Designed for the workshop, small maintenance jobs, or concerts and shows, the SWIFT RL PRO rechargeable headlamp offers 900-lumen brightness. With REACTIVE LIGHTING® technology, a sensor analyzes the ambient light and automatically adjusts headlamp brightness to user requirements. It also has red lighting to ensure stealth. SWIFT RL PRO is intuitive, with a single button for easy control over all lamp functions. The five-level gauge allows precise monitoring of the battery charge level. The lamp is compatible with Petzl helmets, and mounting accessories allow it to be attached to any kind of helmet.



Ultra-bright and lightweight: 900 lumens at only 123 g.



Longer burn time, greater visual comfort and less manual operation with REACTIVE LIGHTING® mode: the light sensor automatically adjusts brightness and beam pattern, optimizing battery usage.



The lamp is compatible with Petzl helmets, and mounting accessories allow it to be attached to any kind of helmet.



Charges via micro USB port.

## Short Description

Ultra-powerful, lightweight rechargeable headlamp with multi-beam and REACTIVE LIGHTING® technology, for proximity and distance vision. White lighting, or red to ensure nighttime stealth. 900 lumens

## Selling Points

- Ultra-bright, lightweight and rechargeable:
  - 900 lumens at 123 g
  - Lithium-Ion 2350 mAh battery, rechargeable via the type B micro USB port, with battery charging indicator
- Optimized comfort and burn time:
  - visual comfort from the two beam patterns (mixed or focused), providing high-performance lighting for professionals: proximity vision, movement and distance vision
  - three lighting modes selected with a long hold: STANDARD LIGHTING, REACTIVE LIGHTING® and red lighting
  - longer burn time, greater visual comfort and less manual operation with REACTIVE LIGHTING® mode: the light sensor automatically adjusts brightness and beam pattern, optimizing battery usage
  - continuous red lighting combines visual comfort and stealth
- Intuitive and convenient to use:
  - ease of use, with a single button providing control over all functions: ON/OFF, lighting modes, brightness and locking
  - lamp can be tilted upward
  - LOCK function to avoid accidentally turning it on during transit or storage, or to lock lighting settings during your activity
  - five-level gauge for precise monitoring of the battery charge level
  - detachable, washable headband
  - compatible with Petzl helmets, thanks to the included mounting plate
  - compatible with other helmets (1), using plates, available as accessories

(1) For other helmets, verify compatibility with the helmet manufacturer.

## Specification

- Light output: 900 lumens (ANSI-FL1 STANDARD)
- Weight: 123g
- Technology: REACTIVE LIGHTING® or STANDARD LIGHTING
- Beam pattern: mixed or focused
- Energy: 2350 mAh Lithium-Ion rechargeable battery (included)
- Recharge time: 6h
- Certification(s): CE
- Watertightness: IPX4 (weather-resistant)
- Headlamp comes with a plate for mounting on Petzl VERTEX and STRATO helmets.

## Lighting performance

| Lighting performance as defined by the ANSI/PLATO FL 1 protocol |                |                  |                           |          |            |               |
|---|----------------|------------------|---------------------------|----------|------------|---------------|
| Lighting technology   | Lighting color | Lighting levels  | Brightness                | Distance | Burn time  | Reserve       |
| REACTIVE LIGHTING®  | white          | close-range work | 100 lm                    | 35 m     | 10 to 50 h | 10 lm for 2 h |
|   |                | proximity        | 300 lm                    | 55 m     | 5 to 40 h  | 15 lm for 2 h |
|   |                | movement         | 900 lm                    | 150 m    | 2 to 30 h  |               |
|   |                | distance vision  | 550 lm                    |          | 4 to 50 h  |               |
| STANDARD LIGHTING   |                | close-range work | 10 lm                     | 12 m     | 100 h      | 10 lm for 2 h |
|   |                | proximity        | 200 lm                    | 55 m     | 5 h        | 15 lm for 2 h |
|   |                | movement         | 550 lm                    | 110 m    | 2 h        |               |
|   |                | distance vision  | 250 lm                    | 95 m     | 4 h        |               |
|   | red            | -                | visible at 700 m for 30 h |          |            | -             |

**Specifications by reference**

|                     |  |
|---------------------|--|
| <b>Reference(s)</b> | <b>E810AA00</b>  |
| Color(s)            | black  |
| Made in             | HU   |
| Guarantee           | lamp: 5 years;<br>rechargeable battery: 2<br>years (or 300 charging<br>cycles) |
| Packing             | 1  |
| Case quantity       | 48   |
| EAN                 | 3342540831407  |

---

**Spare part(s)**            PIXA® headband  
                                  Platine clip casque PIXA

---

**Accessory(ies)**        PIXADAPT  
                                  RUBBER  
                                  POCHE PIXA

---

**Related product(s)**    STRATO® VENT  
                                  ACCU SWIFT RL PRO  
                                  VERTEX®  
                                  VERTEX® VENT  
                                  STRATO®